



# CT Shoot And Plug System

**TC-043-3125-110**

**MAN-TC-043-110 (R01)**

## Owen Oil Tools LP

12001 CR 1000

Godley, Texas, 76044, USA

Phone: +1 (817) 551-0540

Fax: +1 (817) 551-1674

[www.corelab.com/owen](http://www.corelab.com/owen)

**Warning:** Use of Owen equipment contrary to manufacturer's specifications or operating instructions may result in property damage, serious injury or fatality. If you are not trained in the handling and use of explosive devices, do not attempt to use or assemble any Owen perforating systems or Owen firing devices.

Owen Oil Tools pre-assembles its tools as per the field operating manual. It is the responsibility of the purchaser to insure that this tool is assembled as required, prior to use.

This technology is regulated by and, if exported, was exported from the United States in accordance with the Export Administration Regulations (EAR). Diversion contrary to U.S. law is prohibited. Export and/or re-export of this technology may require issuance of a license by the Bureau of Industry and Security (BIS), U.S. Department of Commerce. Consult the BIS, the EAR, and/or Owen Compliance Services, Inc. to determine licensing requirements for export or re-export of this technology.

This document contains Confidential Information of Owen Oil Tools LP (Owen) and is furnished to the customer for information purposes only. This document must not be reproduced in any way whatsoever, in part or in whole, or distributed outside the customer organization, without first obtaining the express written authorization of Owen. This document is the property of Owen and returnable upon request of Owen.


© 2010 Owen Oil Tools

---

# CT Shoot And Plug System

---





Item No	Part Number	Description	Qty
1	TC-043-0101-000	TC Housing W/Bleed-off Port	1
2*	TC-043-0002-000	Support Block, 6-Min. TD 3.125"	1
3*	TC-043-0003-000	Igniter Support Assembly	1
4*	PF-001-025F-044S	Set Screw, Cup Point, Steel, 1/4-20X7/16	1
5*	ST-040-0375-000	Ball Bearing	1
6*	OOO-V569-106	O-ring, V-90	1
7*	OOO-V569-224	O-ring, V-90	2
8*	OOO-V569-230	O-ring, V-90	2
9**	2-350220-1	Igniter (explosive component)	1
10**	51-8200-4	6-Min. TD Fuse (explosive component)	1
**	TC-043-3125-499	Redress Kit, set up for HT only	--
**	TC-043-0006-000	Fuse Installation Tool, 3.125" TD	--
**	TC-043-0014-000	Fuse Removal Tool, 3.125" TD	--

\* Denotes parts that are in the redress kit, only HT version available.

\*\* Denotes items that are sold separately.



**Warning:** *The assembly of this tool requires the handling of Explosive Components. The assembly can only be done by personnel trained in the handling of explosives. All safety precautions must be adhered to and observed!*




**Note:** *Check all items against the parts list to be sure of having the correct parts and quantities.*



**Note:** *Check for any damage to the parts which would prevent the part from being assembled correctly, easily and safely.*

## 1.0 Assembly

1.1 Insert the O-ring (item 6) into the threaded bore on the side of the TD Housing (item 1), also place Ball Bearing (item 5) into the bore on top of the o-ring. Thread in the Set Screw (item 4) sealing the o-ring between the bottom of the bore and the ball bearing. Install O-rings (item 8) onto the upper end of the TD housing.





# CT Shoot And Plug System

---



1.4 The assembly is now complete and ready to be mated with whatever tool it is to be used with.



**Warning:** *If this assembly is to be used with a Setting Tool; you MUST remember to BLEED OFF the PRESSURE that will be trapped in the housing before attempting to un-thread any sub.*